

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of : Attorney Docket No. 2004_0608A
Yoshikazu HAYASHI : **Confirmation No. 6055**
Serial No. 10/829,189 : Group Art Unit 2425
Filed April 22, 2004 : Examiner Olugbenga O. Idowu
BROADCASTING SIGNAL RECEIVER : **Mail Stop: AMENDMENT**
APPARATUS PROVIDED WITH
CONTROLLER FOR CONTROLLING
DEMODULATION MODE, AND
APPARATUS FOR CONTROLLING
DEMODULATION MODE

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In the Information Disclosure Statement (IDS) filed on December 17, 2009, Applicant notes that item 5 on page 3 of the IDS included a minor typographical error. In particular, Applicant notes that the phrase “A *Chinese* Office Action is enclosed citing the references listed on the attached Form PTO/SB/08” should have read --A *Japanese* Office Action is enclosed citing the references listed on the attached Form PTO/SB/08--.

Respectfully submitted,

Yoshikazu HAYASHI

/Kenneth W. Fields/
By 2010.01.11 13:24:21 -05'00'

Kenneth W. Fields
Registration No. 52,430
Attorney for Applicant

KWF/krq
Washington, D.C. 20005-1503
Telephone (202) 721-8200
Facsimile (202) 721-8250
January 11, 2010